

INDEX MAPS.

T.9N R.1W 2nd Mer.

257		258		258		258		259		259	
262		6	284	5	282	4	284	3	281	2	284
											271
											270
											270
261		7	283	8	282	9	280	10	269	11	270
											12
											256
261		18	279	17	278	16	267	15	268	14	267
											13
											256
261		19	277	20	276	21	266	22	266	23	265
											24
											255
260		30	275	29	276	28	273	27	264	26	263
											25
											255
260		31	274	32	273	33	272	34	271	35	262
											36
											255

T.10N R.1W 2nd Mer.

293		293-294		293-294		292-294		292-295		292-295	
297		6	306	5	309	4	313	3	318	2	325
											1
											292
297		7	305	8	308	9	312	10	317	11	324
											12
											291
296		18	304	17	307	16	311	15	316	14	322
											13
											291
296		19	303	20	306	21	310	22	315	23	321
											24
											290
296		30	299	29	302	28	309	27	314	26	320
											25
											290
295		31	298	32	302	33	301	34	313	35	318
											36
											290

The figures on the lines refer to the page.

Township N. 9. North of Range N. 1 West 2nd Mer.
Ch. Lbr.

South Boundary

April 3rd 1881 From the temporary post run East on a random line between Towns 8. & 9 N.R. N. 1 W. 6 miles and fell 4th N. of the town cor.

Corrected & marked the line between Towns 8. & 9 N. 1 W.

West On the South Boundary of Sec. 36 T. N. 9. N.R. 1 W.

27.00 To a brook 10.44 miles; course N.E.

40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 30 in. dia. bears N 50 W. 28 links dist; & a
Buck 12 " " " S 80 E. 19 " "

80.00 Set a post for the cor. to sec. 35. & 36 T. N. 9 N.
N. N. 1 W. 2nd Mer. Line from which a
Buck 18 in. dia bears S 70 W. 24 links dist; & a
White 10 " " " N 50 E. 7 " "
Good Buck lands;

West On the S. Boundary of sec. 35 T. N. 9 N.R. N. 1 W.

40.00 Set a post for the cor. to 1/4 sec on the true line
from which a Sugar 14 in. dia bears S 69 E. 13
links dist; and a Do 11 " " " N 50 W. 21

77.50 To a brook 8 links; course N.

80.00 Set a post for the cor. to sec. 34. & 35 in T. N. 9 N.
N. N. 1 W. from which a Buck 12 in. dia bears
S 38 W. 31 links dist; & a Do 11 " " "
N 8 E. 17 " "
Same same as on the last mile;

West On the S. Boundary of sec. 34. T. N. 9 N.R. N. 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 14 in. dia bears N 66 W. 21 links dist; & a
Do 5 " " " S 40 E. 22 " "

71.00 To a brook 12 links; course N.W.

West On the S. Boundary of sec. 33. T. N. 9 N.R. N. 1 W.

80.00 Set a post for the cor. to sec. 33. & 34 T. N. 9 N.R. 1 W.
from which a Buck 5 in. dia. bears N 39 W. 25 links
and a Do 16 " " " S 48 E. 35 " "

T. N. 9. N. R. N. 1st 2nd Mer. (Ind.)

Sand timber so same as on the last mile

West On the South Boundary of sec. 33 T. N. 9 N. R. 1st

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugars 14 in. dia stands N 69 E 10 the dist; & a
Do 10 " " " S 55 W 46 " "

54.00 To a Brook 50 the side; Course S.

73.50 " " Do 25 " " " E. E.

80.00 To the post set for the cor. to sec. 32, & 33. T. N. 9
N. R. N. 1st from which a
Buck 20 in. dia. bears N 22 E. 12 the dist; & a
Do 36 " " " S 31 W. 36 " "
Sand soil timber t.° same as on the last mile;

West On the South Boundary of sec. 32 T. N. 9 N. R. N. 1st 2nd Mer.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugars 5 in. dia bears S 60 E. 10 the dist; & a
Oak 14 " " " N 84 W 18 " "

53.50 To a Brook 20 in. dia stands in the riv.

80.00 Set a post for the cor. to sec. 31 & 32. T. N. 9
N. R. N. 1st from which a
Hick 14 in. dia stands N 72 W 20 the dist; & a
Buck 4 " " " S 60 E 19 " "
Grass, Oak lands level and rich.

West On the South Boundary of sec. 31. T. N. 9 N. R. N. 1st 2nd Mer.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 16 in. dia. bears S 70 E. 17 the dist; & a
Hogwood 3 " " " N 64 W 15 " "

80.00 Move the temporary post 2 ch. South to cor for
Towns 869 R. 18 2 W from which a
Buck 13 in. dia bears N 26 E. 18 the dist; & a
W Oak 16 " " " S 46 W. 32 " "

T. N. 9. N. R. N. 1 W. 2nd Mer.
Good Oak. Sando; &c.

East Boundary

April 1st 1811.

- North On the 2nd Mer. from the cor. to Section 819.
N. R. N. 1 W. East side of sec. 36.
3.75 To a Brook 15 lbs wide; Course S. E.
31.00 " " " 12 " " " East
40.00 To a Buck 13 in. dia for the cor. to 1/4 sec. from which
a Buck 13 in. dia bears S 80 E. 24 lbs dist; &c
Dogwood 4 " " " S 75 W 36 " "
45.00 To a Buck 14 in. dia stands in the river.
61.00 " " Brook 20 lbs wide; Course East
80.00 Set a post for the cor. to sec. 25 & 36 T. N. 9. N.
R. N. 1 W. from which a
Wick 10 in. dia. bears S 60 W. 19 lbs dist; &c
Buck 36 " " " S 64 E. 18 " "
Good Buck & Sugar lands;

- North On the 2nd Mer. on the E. Boundary of sec. 25
T. N. 9. N. R. N. 1 W.
15.50 To a Brook 10 lbs wide; Course S. E.
31.00 To a Sugar 12 in. dia. stands in the river.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 13 in. dia bears S 66 E. 11 lbs dist; &c
" 13 " " " S 75 W. 24 " "
75.50 To a Buck 16 in. dia. stands in the river.
80.00 Set a post for the cor. to sec. 24 & 25 T. N. 9.
R. N. 1 W. from which a
Oak 12 in. dia bears N 49 W. 7 lbs dist; &c
Ash 3 " " " S 76 E. 17 " "
Lands of middling quality; Timber Buck, Su-
gar, Ash, &c

North On the 2nd Mer. on the E. Boundary of sec. 24
T. N. 9. N. R. N. 1 W.

T. N^o 9 N. R. N^o 1 W. 2nd Mer. (Ind.)

- 26.00 To a Brook 10 ¹/₂ miles; Course S.E.
 40.00 Set a post for the cor. to ¹/₄ sec. from which a
 Buck 18 in. dia. bears N 73 E. 6 miles dist; to
 do 13 " " " N 74 W 5 " "
 57.00 To a Buck 16 in. dia. Stands in the river.
 80.00 Set a post for the cor. to sec. 13. & 24 T. N^o 9 N.
 R. N^o 1 W. from which a
 Sugar 5 in. dia. Stands N 17 E. 7 miles dist; to
 do 8 " " " S 25 W. 14 " "
 Sands of middling quality; Timber: Buck, Sugar & Oak

North On the 2nd Mer. on the E. Boundary of sec. 13
 T. N^o 9 N. R. 1 W.

- 17.00 To a Buck 24 in. dia. Stands in the river.
 40.00 Set a post for the cor. to ¹/₄ sec. from which a
 Sugar 16 in. dia. bears S 17 E. 7 miles dist; to
 Walnut 18 " " " N 22 W 29 " "
 Sands and timber same as on the last mile;
 70.50 To a Brook 12 ¹/₂ miles wide; Course N.W.
 71.50 " " Buck 18 in. dia. Stands in the river.
 80.00 Set a post for the cor. to sec. 12. & 13 T. N^o 9 N.
 R. N^o 1 W. from which a
 Sycamore 40 in. dia. bears N. 58 W. 25 miles dist;
 Elm 5 " " " S 51 E. 25 " "
 Kelly Buck, lands;

North On the 2nd Mer. East side of sec. 12 T. N^o
 9 N. R. N^o 1 W.

- 34.00 To a W. Oak 7 in. dia. Stands in the river.
 40.00 Set a post for the cor. to ¹/₄ sec. from which a
 Sassafras 6 in. dia. bears S 47 E. 5 miles dist; to
 do 3 " " " N 48 W 7 " "
 45.00 To a Brook 20 ¹/₂ miles wide; Course N.W.
 47.50 " " Sugar 12 in. dia. Stands in the river.
 50.00 Set a post for the cor. to sec. 1. & 12. T. N^o 9 N.
 R. N^o 1 W. from which a
 Buck 12 in. dia. bears N 49 W. 15 miles dist; to

T. N^o 9 N.R. N^o 17th 2nd Mer. (Ind^a)

Wick 18 in. dia. base S 32 E. 17 links dist; to
Poor Wilby Buck lands; &c.

North On the 2nd Mer. East Boundary of sec. 1 T. N^o 9 N.R. N^o 12th

7.00 To a Buck 20 in. dia. stands in the line.

16.75 Set a post on the N. Boundary line of Harrison's
Purchase from which a

Buck 14 in. dia. base East 32 links dist; to an

Elm 4 " " " West 30 " "

April 1st 1811. Surveyed by
Alex^r. Holmes

North From the above post on the 2nd Mer. Continued
by W^m Harris Deputy Surveyor, on 6th May

28.75 To a Buck 20 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a

Wick 12 in. dia. base N 47 E. 17 links dist; to

Dogwood 6 " " " S 37 E. 8 " "

80.00 Set a post for the cor. to sec. 1. 6. 31. 36. T^s

9. 9. 10. 10. N^o 1 E. & 17th from which a

Wick 9 in. dia. base N 68 W. 8 links dist; to

Walnut 9 " " " S 51 E. 21 " "

Land very broken muddling goods; Soil,
Buck, Hick, Oak, Ash, Sycamore &c.

North Boundary

April 3rd 1811 From the cor. of T^s N^o 9 & 10
N.R. N^o 17th

East On the South Boundary of sec. 31. T. N^o 10 N.R.
N^o 17th

23.00 To a Buck 10 links wide; Course N.

40.00 Set a post for the cor. to 1/4 sec. from which an

Ash 30 in. dia. base North 15 links dist; to

Buck 14 " " " S 78 E. 27 " "

60.50 To a Buck 8 links wide; Course S. E.

80.00 Set a post for the cor. to sec. 31. & 32 T. N^o 10

T. N. 9. N. 17. 2nd Mer. (Ind.?)

N. R. N. 17. from which a
Sugar 14 in. dia. bears S 28 E 5 miles dish; & a
Buck 13 n n n N 17 E 28 n n

East On the South Boundary of sec. 32 T. N. 10. N. R. 17.

- 1.50 To a Brook 150 miles wide; Course N. W.
5.00 n n Do n n n n S. E.
11.00 n n n n n n N. W.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 18 in. dia. bears S 61 W. 16 miles dish; & a
Do 11 n n n N 57 E. 30 n n
Sandy flat bottom covered with water; Find:
Maple, Elm, &c.
80.00 Set a post for the cor. to sec. 32, & 33 T. N. 10
N. R. N. 17. from which a W. Oak 14 in. dia.
bears S 63 E. 27 miles dish; & a Buck 5 n n
n N 21 E. 23 n n Poor hilly Oak
lands &c

East On the S. Boundary of sec. 33. T. N. 10. N. R. 17.

- 10.00 To a Brook 6 miles wide; Course S. E.
17.00 n n 20 10 n n n S. W.
40.00 Set a post for the cor. to 1/4 sec. from which a
Oak 20 in. dia. bears S 81 W. 16 miles dish; & a
Buck 10 n n n N 55 E 15 n n
Hilly Oak, lands; as above &c.
80.00 Set a post for the cor. to sec. 33, & 34 T. N.
11 W. from which an
Oak 12 in. dia. bears N 77 E. 5 miles dish; & a
Buck 18 n n n S 48 W. 19 n n
Flat Elm bottom lands;

East On the S. Boundary of sec. 34 T. N. 10. N. R. 17.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Oak 30 in. dia. bears N 40 E. 9 miles dish; & a

T. N.º 9. M. R. N.º 17. 2.º de Mar. (Ind.)

Buck 10 in. dia base 549 W. 9 miles dist; /
Not Buck band;

57.00 Fra Brook 150 miles wide; Anne D.W.

65.01 n n n n n n n St 76.

80.00 Set a post for the cor. to Sec. 34 & 35 T. N. 10 N.
R. N. 1 W from which a

Track 12 m. dia base ASD 77. 34 m. dia dist. to

No 24 " " " 550 E. 28 " "

Flat bottom lands; Timber Buck, Elm, Maple.

East On the S. Boundary of Sec. 35 T. N. 10. R. 17.

8.50 Tra Brook 40 miles wide; Course South.

32.57 u u Ho 157 u u u D.M.

38.50 n, a llo 8 n n n N.W.

40.00 Set, a pair for the car. At 1/4 Sec. from which a

Sym 16 in. dia base 146 W. 6 miles dist; ca

4 Buck 5 na " N38E19 na na

For mit Buch, Botenhand; 10

59.00 Got a quart on the No 73 Sunday line off Harri-

Son's Purchase for the car is Exp. 2135. J.

9. + 10. R. 1 R. from which a

Neck 7 4 in. dia bears N 33 E. 14 inches thick, &c

Logbook 4 n n n S20 N20 n n

For mt Beech bottom lands &c

Surveyed by.

Alex. Holmes. D.S.

The remainder of this line was surveyed by
W. Harris.

Nest On Mandarin tree on the S. side of sec. 36. T^h
10 N.R. No 174

40.00 City a temp. post for the cor. to 1/4 sec.

80.00 Set a post for the car. to sec. 35 & 36 T.M.
10. M.R. N. 17.

91.00 Tell 360 links South of the post set for the
in on the N Bound. of Harris's purchase

T. N. R. No 9 N. R. No 17 N. 2nd Mer. (Ind.?)

East On a true line between Sec. 2, 135 T. 9 S. 10 N. N. R. No 17 N.

70.00 Set a post for the cor. to Sec. 35 & 36. T. No 10 N. R. No 17 N. from which a
W. Oak 18 in. dia. bears N 38 E. 15 links dist; to
Hickory 9 n n n S 45 W 9 n n

East On a true line S. Boundary of Sec. 36. T. N. 10 N. R. No 17 N. 2nd Mer.

40.00 Set a post for the cor. to 1/4 sec. from which a
Cassafra 9 in. dia. bears S 63 E. 20 links dist; to
Hickory 12 n n n S 80 W 6 n n

80.00 To the post set for the cor. to sec. 1. 6. 36. 36
T. N. 9 & 10 N. R. No 17 N. 2nd Mer.

West Boundary

North On the East Boundary of Sec. 36. T. N. 9 N. R. No 2 N.

40.00 Set a post for the cor. to 1/4 sec. from which a
Hickory 10 in. dia. bears West. 18 links dist; to
Maple 11 n n n N 65 E 33 n n

61.00 To a W. Oak 14 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 25. & 36. T. N. 9 N. R. No 2 N. from which a
Dog wood 14 in. dia. bears N 33 E. 32 links dist; to
do 6 n n n N 33 W. 34 n n
First rate lands; Timber Sugar, Oak, &c.

North On the East side of Sec. 25. T. N. 9 N. R. No 2 N. 2nd Mer. (Ind.?)

38.00 To a Brook 10 links wide; Corner S. E.

40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 14 in. dia. bears S 50 E. 18 links dist; to
W. Oak 11 n n n N 79 W. 10 n n

66.00 To a Hickory 14 in. dia. stands in the line

T. N^o 9. M.R. N^o 177. 2nd Mer. (Ind^a)

- 80.00 Set a post for the cor. to sec. 24 + 25 T. N^o 9
M. R. N^o 277. from which a
Willow 12 in. dia. bears N 50 E. 20 the dist; to
Buck 12 " " " S 74 W. 26 " "
Sands same as on the last mile.

- North On the East side of sec. 24. T. N^o 9 M.R. N^o 277
22.50 To a Brook 12 the wide; Course S.E.
40.00 Set a post for the cor. to 1/4 sec. from which a
Maple 14 in. dia. bears N 0 E. 29 the dist; to
Poplar 25 " " " S 75 W 10 " "
Good Oak lands
69.50 To a Walnut 13 in. dia. Stands in the line.
80.00 Set a post for the cor. to sec. 13. + 24 T. N^o 9. M.
N. N^o 277. from which a
Oak 18 in. dia bears N. 46 W. 20 the dist; to
Logwood 4 " " " S 59 W. 12 " "
Good Oak lands;

- North On the East side of sec. 13. T. N^o 9 M.R. N^o 277.
23.50 To a Willow 18 in. dia. Stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 10 in. dia bears N 38 W 34 links dist; to
Do 13 " " " S 38 E. 21 " "
67.00 To a Brook 12 links wide; Course N.E.
73.50 " " Do 8 " " " S.E.
80.00 Set a post for the cor. to sec. 12, + 13. T. N^o 9
M.R. N^o 277. from which a
Willow 12 in. dia. bears S 37 W. 3 links dist; to
Do 10 " " " S 68 E. 10 " "
Sands of middling quality

- North On the East side; of sec 12 T. N^o 9 M.R. N^o 277
32.50 To an Ash 30 in. dia. Stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 12 in. dia. bears N 47 W. 9 links dist; to

T. No. 9. N. R. No. 1. W. 2nd Mer. Ind. a.)

Timber Buck, Sugar, Gum; Good Farming
lands;

East On a Random line between Sec. 25 & 36 T. 9. N. R. 1. W.
40.00 Set a temporary post for the cor. to 1/4 sec.
64.50 To a Brook 8 miles wide; Course S. W.
80.78 Intersect the East Range line 58 miles N. of the
post set for the cor. to sec. 25 & 36. T. 9. N. R. 1. W.
Sand very hilly, Oak, Buck, Gum & Poplar.

West In the true line between Sec. 25 & 36 T. 9. N. R. 1. W.
40.39 Set the temporary post at the corner dish; on the true
line for the cor. to 1/4 sec. from which a
Sugar 16 in. dia. bears S 22 W. 16 miles dish; to
Buck 20 a n n N 9 E. 30 a n n
80.78 To the post set for the cor. to sec. 25, 26, 35 & 36

North Between Sec. 25 & 26 T. 9. N. R. 1. W.
40.00 Set a post for the cor. to 1/4 sec. from which a
— 10 in. dia. bears S 21 W. 16 miles dish; to
Buck 11 n n n N 32 W. 20 n n n
75.00 To a small creek (1 mile wide; Course W.
80.00 Set a post for the cor. to sec. 23, 24, 25 & 26 from
which a Buck 10 in. dia. bears N 62 W. 13 miles dish;
to 8 a n n n N 41 E. 10 n n n
Sand very hilly; Timber Buck, Oak, Oak, & Log-
creek;

West On a Random line between Sec. 23 & 26 T. 9. N. R.
N. R. No. 1. W.
12.50 To a Brook 40 miles wide; C. N. W.
40.00 Set a temporary post for the cor. to 1/4 sec.
81.05 Intersect the N & S line 05 miles South of the
post set for the cor. to sec. 22, 23, 26 & 27
Sand extremely hilly; Oak, Oak, Buck, & Sugar

T. N. 9. N. R. N. 1 W. 2nd Mer. Ind. 1st

West On a true line between *Sec. 23 & 24 T. 9. N. R. 1 W.*
 40.52^p Set the temporary post at the corner distant on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 11 in. dia. bears N 34 E 3 miles dist; to
 Ash 30 n ~ ~ N 10 E 15 ~ ~
 81.05 To the first set for the cor. to *Sec. 22, 23, 24. 127*

East Between *Sec. 22 & 27 T. N. 9. N. R. N. 1 W.*
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 6 in dia. bears N 54 E 2 miles dist; to
 Buck 6 n ~ ~ S 76 W 2 n ~ ~
 73.00 To a Brook 50 miles wide; Corner N. W.
 81.00 Set a post for the cor. to *Sec. 22, 23, 24 & 27*
 from which a W. Oak 16 in. dia. bears N 42 E $\frac{3}{4}$
 miles dist; to S. Oak 4 n ~ ~ N 25 W 35
 ~ ~ Land very hilly and broken; Timber
 Oak, Ash, Buck, & Sugar.

South On a true line between *Sec. 26 & 27. 1st. T. N. 9. N. R. N. 1 W. 2nd Mer.*
 4.50 To a Brook 50 miles wide; Corner N. W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 52.50 of a small brook. E. by S. road; Corner E. by S.
 80.10 Enter section the E. & W. line 120 miles N. of the
 first set for the cor. to *Sec. 26, 27, 34 & 35*
 Land hilly, well adapted for farming lands
 Timber Oak, Ash, Buck, & Poplar.

North Between *Sec. 26 & 27* On a true line *T. N. 9. N. R. N. 1 W.*
 40.83 Set the temporary post at the corner distant on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 16 in. dia. bears S 14 E 21 miles dist; to
 Co 9 n ~ ~ N 31 E 27 ~ ~
 80.10 To the first set after the cor. to *Sec. 22, 23, 24, 27*

East On a true line between *Sec. 24 & 25 T. 9. N. R. 1 W.*

T. N. 9 N.R. No. 17. 2nd Mer. (Ind.)

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.24 Intersect on the NPS line 9 miles N of the post
 set for the cor. to Sec. 24 & 25 T. 9 N.R. 17
 Sand hilly meandering for farming; timber
 Oak, Ash, Buck, 10

- West On the true line between Sec. 24 & 25 T. 9 N.R.
 17.
 40.10 Set the temporary post at the av. distn the true
 line for the cor. to 1/4 sec. from which a
 Buck 30 in. dia. base S 7 E. 21 miles dist. to
 24 n n n N 21 E. 35 n n
 80.24 To the post set for the cor. to Sec. 23, 24, 25 & 26

- North Between Sec. 23 & 24 T. 9 N.R. No. 17.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Logwood 3 in. dia. base S 59 N. 24 miles dist.
 Buck 20 n n n N 65 E. 21 n n
 78.50 To a Brook 50 miles dist. to course S. N.
 80.00 Set a post for the cor. to Sec. 13, 14, 23 & 24
 T. 9 N.R. No. 17. from which a
 Walnut 3 in. dia. base N 80 N. 11 miles dist. to
 Sugar 14 n n n N 88 E. 21 n n
 Land very hilly; timber Oak, & Buck.

- West In a Random line between Sec. 14 & 23 T. 9 N.R.
 No. 17.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 79.85 Intersect on the NPS line 33 miles S of the post
 set for the cor. to Sec. 14, 15, 22, & 23.
 Land same as on the last mile

- East On a true line between Sec. 14 & 23. T. 9 N.R.
 39.92 1/2 Set a post for the cor. to 1/4 sec. at the av. dist
 on the true line from which a
 Sassafras 4 in. dia. base S 34 E 6 miles dist. to

J. N^o 9 N.R. N^o 177. 2nd Mer. (Ind. of

Cassapra 5 in. dia. beam N 41 E. 6 miles dist; 79.85 To the post set for the cor. to sec. 13, 14, 23 & 24

September 24th 1815

North Peteron Sec. 21 & 22 J. N^o 9 N.R. N^o 177.

36.00 To a Corral 70 miles wide; Course W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 14 in. dia. beam N 81 E. 16 miles dist; to

Loc 6 a ~ ~ N 47 1/2 W 21 a ~

80.00 Set a post for the cor. to sec. 15, 16, 21 & 22 from
which a W Oak 14 in. dia. beam S 59 W. 27 miles
dist; to Maple 11 a ~ ~ N 73 E. 18 a

~ Same as on the last mile.

East Peteron Sec. 15 & 22. J. N^o 9 N.R. N^o 177.

28.00 To a small Brook; Course S.

40.00 Set a post for the cor. to 1/4 sec. from which a
Poplar 40 in. dia. beam N 85 W. 16 miles dist; to
Beck 16 a ~ ~ S 74 E. 21 a ~

80.00 Set a post for the cor. to sec. 14, 15, 22, 23 from
which a Logwood 3 in. dia. beam S 71 W. 22 miles
dist; to Beck 10 a ~ ~ N 41 E. 18 a

~ Lands Hilby & Mcadling for farming
Timber Oak, Ash, Buck, &c

South Ona River line between Sec. 22, & 23. J. N^o 9
N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 sec.

45.00 To a Brook 50 miles wide; Course S. W.

72.50 ~ ~ ~ 60 a ~ ~ ~ S. W.

79.82 Enter onto the E & W line 41 miles East of the
Post set for the cor. to sec. 22, 23, 26, & 27

Lands Hilby made broken; Timber Oak, & Buck
generally.

North Ona River line between Sec. 22 & 23. J. N^o 9 N.R. 177.

T. N. 9 N.R. No. 1 W. 2nd Mer. (Sec. 2)

- 39.91 Set the tumpst post at the arr. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which are
 Elm 5 in dia. bears S 35 E 16 links dist; & a
 Sugar 15 2 u N 35 E 6 u ~
 1982 To the Post set for the cor. to sec. 14 15, 22, 23.

- East On the true line between Sec. 13 & 24 T. 9 N.R. 1 W.
 40.00 Set a tumpst post for the cor. to $\frac{1}{4}$ sec.
 8025 Introduced the N. S. line 11 links S. of the post for the cor. to sec. 13 & 24. T. N. 9 N.R. 1 W.
 Land mostly not muddling for farming.
 Timber Oak, Ash, Buck, Poplar, &c.

- West On the true line between Sec. 13 & 24 T. 9 N.R. 1 W.
 40.12p Set the tumpst post at the arr. dist; on the true line for the cor. to $\frac{1}{4}$ sec. from which are
 Ash 24 in. dia. bears N 36 W. 5 links dist; & a
 Sugar 3 u ~ S 16 W. 21 u ~
 8025 To the Post set for the cor. to sec. 13 14, 23 & 24

- North Between Sec. 13 & 14 T. N. 9 N.R. No. 1 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which are
 Sugar 10 in. dia. bears S 21 W. 7 links dist; & a
 Cherry 4 u ~ N 21 W. 11 u ~
 8000 Set a post for the cor. Sec. 11, 12, 13, & 14. from which are
 W. Oak 3 in. dia. bears S 12 E 21 links dist;
 maple 10 2 6 u ~ N 37 W 8 u ~
 Land very hilly; Timber very poor Oak, & Buck

September 25th 1815

- North Between Sec. 15 & 16 T. N. 9 N.R. No. 1 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which are
 Buck 4 in. dia. bears N 69 W 9 links dist; & a
 Do 6 u ~ N. 37 E 10 u ~
 70.00 Townsall Brook Corner W.
 80.00 Set a post for the cor. to sec. 9, 10, 15, 16. T. N. 9

T. N. 9 N.R. N. 17. 2nd Mer. (Ind.)

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.25 Intersected the N. & S. line 26 miles North of
 the post set for the cor. to Sec. 11, 12, 13 & 14
 Sando Rio timber to same as on the last mile

- West On the true line between Sec. 11. & 14. T. N. 9.
 N.R. N. 17.
 40.12 $\frac{1}{2}$ Set the temporary post at the corr. dist., on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Elm 4 in. dia. bears N 40 E. 18 miles dist; to
 Buck 5 " " " N 67 W. 33 " "
 80.25 To the post set for the cor. to Sec. 10, 11, 14 & 15

- East On a random line between Sec. 12 & 13. T. N. 9.
 N.R. N. 17.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 70.00 To a small Spring Branch Co. N.
 79.89 " " " Brook Course N.R.
 80.20 Intersected the N. & S. line 20 miles N. of the
 post set for the cor. to Sec. 12 & 13. T. N. 9. N.
 R. N. 12 W. Sando is timbered by hilly & Bar-
 ren; Timber Oak, & Buck, generally
 poor soil.

- West On a true line between Sec. 12, & 13. T. N. 9. N.R. 17.
 40.10 Set the temporary post at the corr. dist., on the
 true line for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwood 3 in. dia bears N 57 $\frac{1}{2}$ W. 11 $\frac{1}{2}$ miles dist
 Hickory 17 " " " S 41 E. 10 " "
 80.20 To the post set for the cor. to Sec. 11, 12, 13, 14

- North Between Sec. 10. & 11 T. N. 9 N.R. 17.
 22.50 To a Brook 57 miles dist; Course W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Birch 16 in. dia. bears S 19 W. 17 miles dist; to
 Co 10 " " " N 38 W 6 " "

T. N^o 9 N.R. N^o 1 W. 2nd. Mer. (In a.)

80.00 Set a post for the cor. to Sect. 2, 3, 10, 11. From which a ^W Walnut 9 in. dia. bears S50 E 2 1/2 the dist; to a ^B Elder 3 " " " S85 W 30 " " Sande kilby; poor Oak & Buck timber generally.

September 30, 1815

East Between Sect. 2 & 11 T. N^o 9 N.R. N^o 1 W.

31.50 To a ^B Birch 50 miles wide; Course N.W.

40.00 Set a post for the cor. to 1/4 sec. from which a ^B Birch 15 in. dia. bears N17 E. 10 miles dist; to a ^Elder 8 " " " S9 E. 20 " " "

80.00 Set a post for the cor. to Sect. 1, 2, 11, 12. From which a ^B Birch 6 in. dia. bears South 10 miles dist; to a ^Wild 7 " " " N41 1/2 W 17 " " Sande Soil timber &c same as on the last mile

South On a Random line between Sect. 11 & 12 T. N^o 9 N.R.

21.50 To a ^B Birch 50 miles wide; Course W.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.33 Entered the E. & W. line 25 miles East of the post set for the cor. to Sect. 11, 12, 13, & 14. Sande Soil timber same as on the last mile.

North On the true line between Sect. 11 & 12 T. N^o 9 N.R.

40.46p Set the temporary post at the aver. dist. on the true line. For the cor. to 1/4 sec. from which a

^Log woods 6 in. dia. bears N88 W. 12 miles dist to a ^Wild 5 " " " N57 E 13 " " "

80.33 To the post set for the cor. to Sect. 1, 2, 11, 12

East On a Random line between Sect. 1 & 12. T. N^o 9 N.R. N^o 1 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

41

T. No 9 N.R. No 1 W. 2nd Mer. (Ind^c)

80.03 Enter section the N & S line 15 to miles N of the
Post set for the cor. to Sec. 1 & 12 T. No 9 N.
W. No 1 W. Can do extremely easily & broken.
Soil poor. Timber Buck & Oak.

West On the true line between Sec. 1 & 12 T. No 9
N.R. No 1 W.

40.01 1/2 Set the temporary post at the corr. dist on the true
line for the cor. to 1/4 sec. from which a
Nail 17 in dia. bears S 61 W. 28 miles dist; to
Buck 16 " " " N 54 E 9 " "

80.03 To the post set for the cor. to Sec. 1, 2, 11, 12

North Between Sec. 1 & 12 T. No 9 N.R. No 1 W.

25.01 To a small creek corner N.W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 4 in. dia bears S 52 W 11 miles dist; to
Oak 10 " " " N 12 E 9 " "

72.28 Enter section the N Boundary of T. No 9 N.R.
No 1 W. & set a post for the cor. to Sec. 1 & 12
from which a Buck 18 in. dia bears N 12 W 10 the
dist; to Do 17 " " " N 82 W 16 " "
" Can do same as on the last mile.

North Between Sec. 34 & 35 T. No 9 N.R. No 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 18 in. dia. bears S 84 E. 5 miles dist; to
Buck 30 " " " S 36 W 27 " "

80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35
T. No 9 N.R. No 1 W. from which a
Buck 8 in. dia bears S 30 W. 17 miles dist; to
Sugar 4 " " " N 26 E 10 " "
Finish rate farming lands; Timber Buck,
Sugar, Walnut &c.

East On Random line between Sec. 26 & 35. T. No 9 N.R.

T. No. 9. N.R. No. 17. 2nd Mer. Ind.

R. No. 17.

- 25.00 To a small brook C. N.
 39.00 " " Brook 15 miles mid; Course N.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.66 Intersected the N & S line 36 miles N of the
 post set for the cor. to 25, 26, 35 & 36.
 Land nothing 2nd Mer.

- West On the true line between Sec. 26 & 35 T. 9 N. R. 17 W.
 40.33 Set the temporary post at the avr. dist; on the
 true line for the cor. to 1/4 sec. from which a
 Sugar 8 mi. dist bears N 7 E 12 miles dist;
 Lf 20 " " " S 61 W 22 " "
 80.66 To the post set for the cor. to Sec. 26, 27, 34, 35.

- West Return Sec. 27 & 34 T. No. 9 N.R. No. 17.
 40.00 Set a post for the cor. to 1/4 sec from which a
 Sugar 10 mi. dist bears N 74 W. 21 miles dist
 Lf 10 " " " S 23 W. 14 " "
 80.00 Set a post for the cor. to Sec. 27, 28, 33, 34.
 T. No. 9 N.R. No. 17. from which a
 Buck 24 mi. dist bears S 86 E 8 miles dist; Lf
 Lf 24 " " " S 42 W 20 " "
 Land first rate; Buck, Sugar, & Walnut 40

- South On a Random line between Sec. 33 & 34 T. No.
 9 N.R. No. 17.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 63.00 To a Brook - miles mid; Course N.
 70.00 " " " " " " " "
 80.52 Intersected the E & W line 16 miles East
 of the post set for the cor. to Sec. 33 & 34
 Land same as on the last mile.

- North Return Sec. 33 & 34 T. No. 9 N.R. No. 1
 N On a true line.

T. No. 9 N.R. No. 177. Grade Run Ind.

- 40.26 Set the temporary post at the arr. dish in the true line for the cor. to $\frac{1}{4}$ sec. from which a
 Height 10 mi. air. bears S29 W. 22 miles dist
 Sugar 20 " " " N18 E 23 " "
 81.52 To the post set for the cor. to lat. 27. 28. 33 & 34.

- North Between lat. 27. & 28 T. No. 9 N.R. No. 177.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 16 mi. air. bears N84 W. 16 miles dist; to
 Bush 6 " " " N86 E. 18 " "
 81.00 Set a post for the cor. to lat. 27. 28. 27. & 28.
 T. No. 9 N.R. No. 177. from which a
 Bush 5 mi. air. bears N44 W. 3 miles dist; to
 Sugar 8 " " " S37 E 27 " "
 Same first rate;

September 23. 1815

- West Between lat. 28 & 33. T. No. 9 N.R. No. 177.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 16 mi. air. bears S5 W. 25 miles dist; to
 Height 24 " " " N6 E. 22 " "
 62.50 To a Brook - 10 miles wide; Course N.
 80.00 Set a post for the cor. to lat. 28 29 32 & 33.
 from which a
 Sugar 6 mi air. bears S40 W. 20 miles dist;
 Ho 18 " " " N. 72 E. 32 " "
 Same first rate; Timber Walnut, Sugar, Bush
 Ash &c.

- South Between lat. 32 & 33. T. No. 9 N.R. No. 177.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 53.50 To a Brook 10 miles wide; Course S.E.
 81.13 Intersected the E & W. line 46 miles East of
 the post set for the cor. to lat. 32 & 33.
 Same soil timber &c same as on the last mile

T. N. 9. N.R. N. 1 W. 2nd Mer. (S. a.)

North Pitman Sec. 32 & 33 T. N. 9 N.R. N. 1 W.
 40.00 Set the temporary post at the corner on the
 true line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 30 in. dia. bears S 46 N. 5 (links) dist; to
 Co 18 n n n N 3 E 24 n n
 81.12 To the post at for the cor. to Sec. 28, 29, 32, 33.

West Pitman Sec. 29 & 32 T. N. 9 N.R. N. 1 W.
 11.00 To a post 10 links wide; corner N. E.
 35.00 n n Co 15 n n N. E.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 30 in. dia. bears N 60 W. 26 (links) dist;
 Co 4 n n n S 60 E 9 n n
 81.00 Set a post for the cor. to Sec. 29, 31, 31 & 32
 from which a
 Log made 5 in. dia. bears N. 7 W. 10 (links) dist
 Co 4 n n n S 15 E. 15 n n
 Look for farming lands;

South Chaffin line between Sec. 31 & 32
 T. N. 9 N.R. N. 1 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.86 Cut a section the E. N. line 56 links West
 of cor. to Sec. 31 & 32
 Sando 2nd rate; Timber Oak, etc.

North Pitman Sec. 31 & 32 T. N. 9 N.R. N. 1 W.
 39.93 Set a temporary post for the cor. to $\frac{1}{4}$ sec. at
 the corner on the true line from which a
 Hickory 4 in. dia. bears S 39 W. 20 (links) dist;
 Log made 4 n n n N 45 E 29 n n
 79.86 To the post set for the cor. to Sec. 29, 30, 31 & 32

West Pitman Sec. 31 & 31 T. N. 9 N.R. N. 1 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Oak 20 in. dia. bears S 49 E 6 (links) dist;

T. N^o 9 M.R. N^o 177. S. & M. (Ind.)

72.57 Saw Oak 18 in. dia. bear S 58 W. 27 miles dist;
 Intersected the N & S line 60 miles N. of the post at
 for the cor. to sec. 30. & 25 T. N^o 9 M.R. N^o 27
 & set a post from which a
 Logwood 8 in. dia. bear S 75 E 11 miles dist;
 Do 8 " " " N 39 W 21 " "
 Sand soil timber to same as on the last mile;

North Return Sep. 29 & 30. T. N^o 9 M.R. N^o 177.
 40.00 To a Beech 18 in. dia. stand for the cor. to 1/4 sec.
 40.50 To a Brook 10 miles wide; Corner N.W.
 67.00 " " " 10 " " " " "
 80.00 Set a post for the cor. to sec. 19, 20, 29, & 30.
 From which a Logwood 6 in. dia. bear N 9 E 14
 miles dist; & a Do 4 " " " S 20 E -
 " " This mile over good farming lands
 Timber Walnut, Beech, Oak, Logwood, &c

East Return Sep. 20 & 29 T. N^o 9 M.R. N^o 177.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Logwood 5 in. dia. bear S 29 E 5 miles dist; & a
 Beech 5 " " " N 12 E 14 " "
 80.00 Set a post for the cor. to sec. 20, 21, 28, & 29 from
 which an Elm 18 in. dia. bear N 39 W 12 miles dist;
 end of an Elm 10 " " " S 30 W 29 " "
 Sand fresh water; Timber Walnut, Hackberry, Oak
 Cherry, Hickory, Elm &c.

East On a random line between Sep. 21 & 28 T. N^o 9 M.R.
 N^o 177.
 01.00 To a Brook - 1/2 mile wide; Corner East.
 20.00 " " " 30 " " " North
 40.00 Set a temporary post for the cor. to 1/4 sec.
 68.00 To a Brook 10 miles wide; Corner N.
 78.79 Intersected the N & S line 21 miles North of the post
 set for the cor. to sec. 21, 22, 27, 28. Good farm?

T. N^o 9 M.R. N^o 17th 2nd Sec. (Ind. 9
lands

West Between Sec 21. & 28 On the true line T. N^o 9.
M.R. N^o 17th.

39.36 Set the temporary post at the avor. dist; on the true
line for the cor. to 1/4 sec. from which an
Oak 40 in. dia bears S 22 W. 11 miles dist; & an
Oak 36 in. dia N 4 E. 13 in. —

78.73 To the first set for the cor. to sec. 20. 21. 28 & 29

September 24th 1805

South On a random line between Sec. 28. & 29 T. N^o
9 M.R. N^o 17th.

40.00 Set a temporary post for the cor. to 1/4 sec.

43.01 To a Brook 10 miles dist; Corner N.E.

55.50 up a — 11 in. — — — —

80.30 Entered the E & W. line 62 miles East of the
first set for the cor. to sec. 28, 29, 32, & 33.

Large fish race; Timber Walnut, Birch, Su-
gar. &c

North Between Sec 28 & 29. T. N^o 9 M.R. N^o 17th.
On the true line.

40.15 Set the temporary post at the avor. dist on the true
line for the cor. to 1/4 sec. from which an

Buck 6 in. dia bears S 3 E. 8 miles dist; & an

Do 8 in. dia N 44 W 20 in. —

81.30 To the first set for the cor. to sec. 20. 21 28 & 29

North Between Sec. 20. & 21. T. N^o 9 M.R. N^o 17th.

40.00 Set a post for the cor. to 1/4 sec. from which an
Oak 24 in. dia bears S 22 E. 6 miles dist; & an

Oak 24 in. dia N 8 E 28 in. —

57.50 To a Brook 15 miles dist; Corner N.E.

80.00 Set a post for the cor. to sec. 16. 17. 20. & 21

from which an Sugar 19 in dia bears S 42 W 5

T. No 9. N.R. No 17. grade Mer. Ind.

hills dish; a Buck 18 mi. dia. bears N43 E 18
 " " Sand rolling 2nd note; Soil Buck, Lu-
 gum &c.

West Between Sec. 17. & 20 T. No 9 N.R. No 17

40.00 Set a post for the cor. diff. cor. from which a
 Buck 18 mi. dia bears N44 E 3 miles dish; 1 a

L 0 4 " " " N15 E. 16 a " "

78.50 Top of Brook 30 miles N. of course N.

80.00 Set a post for the cor. to sec. 17. 18. 19. 20. T. No
 9 N.R. 17. from which a

Hackberry 36 mi dia. bears N64 E 11 miles dish;

Elm 14 " " " S31 E. 25 a " "

Good farming lands; Timber Walnut, Buck
 Sugar &c

South On a Random line between Sec. 19. & 20. T. No 9
 N.R. No 17.

40.00 Set a trip. post for the cor. to 1/4 sec.

79.63 Intersect the East end of West line 32 miles East
 of the post set for the cor. to sec. 19. 20, 29 & 30
 Sand soil timber &c same as on the last.

West Between Sec. 19. & 30. T. No 9 N.R. No 17.

26.50 Top of Brook 15 miles N. of course N.

40.00 Set a post for the cor. to 1/4 sec from which a
 Buck 8 mi. dia bears N72 - 24 miles dish; 1 a

Elm 24 " " " S20 E 24 a " " "

72.17 Intersect the N. Boundary line 37 miles N. of
 the cor. to sec. 24 & 25 T. No 9 N.R. No 17. & set

a post for the cor. to sec. 19. & 30. from which a

Hick 12 mi dia bears S57 W. 7 miles dish; 1 a

Elm 12 " " " S32 E. 28 a " "

Sand, soil, timber, &c same as on the last mile

North Between Sec. 19 & 20 T. No 9 N.R. No 17.

T. N^o 9 N.R. N^o 1 W. 2nd Mer. (Ind.)

- 39.41 Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a Sugar 3 in dia. bears S 2 E 3 links dist; to No 24 n n n N 63 E 12 n n
- 79.83 To the first set for the cor. to sec. 17. 18. 19. 20.

West Between sec. 9. & 15 T. N^o 9 N.R. N^o 1 W.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 16 in dia. bears S 76 E 16 links dist; to Sugar 6 n n n N 11 E 10 n n
- 62.01 To a Long Branch 15 links wide; Course N.W.
- 80.00 Set a post for the cor. to sec. 8. 9. 16. & 17. From which a Buck 12 in dia. bears S 15 E 14 links dist; and a W. Oak 12 n n n S 63 W 16 n n Lands hilly; Timber Oak, Sugar, Buck, Poplar,

South On a Random line between sec. 16 & 17 T. N^o 9 N.R. N^o 1 W.

- 3.50 To a Creek 60 links wide; Course N.W.
- 14.00 n n n 60 n n n N.E.
- 21.00 n n n 60 n n n W
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 67.50 To a Brook 60 links wide; Course N.W.
- 79.00 Intersected the E. & W. line 15 links West of the cor. to sec. 16. 17. 20. & 21 Bottom lands; rich & good for farming

East On a Random line between sec. 16 & 21 T. N^o 9 N.R. N^o 1 W.

- 21.00 To a Brook 20 links wide; Course N.W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 80.08 Intersected the N. & S. line 81 links N. of the cor. to sec. 15. 16. 21. & 22 The most $\frac{1}{2}$ land same as on the last mile; E. $\frac{1}{2}$ Healthy & poor.

West On the true line between sec. 16 & 21. T. N^o 9

T. N^o 9. N.R. N^o 9. W. 2nd Mer. (Ind.)

L' N.R. N^o 177.

40.04 Set the temporary post at the aver. dist; on the true line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 10 in. dia. bears S62W. 19 miles dist; to
 R. Oak 36 " " " N45E 19 " "

80.08 To the post set for the cor. to Sec^s 16, 17, 20, 21

North On the true line between Sec^s 16, & 17 T. N^o 9
 N. R. N^o 177.

39.50 Set the temporary post at the aver. dist; on the true line for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 12 in. dia. bears S31W 8 miles dist; to
 Hackb^{ry}. 15 " " " N72E. 26 " "

79.00 To the post set for the cor. to Sec^s 8, 9, 16, 17.

West Between Sec^s 8 & 17. T. N^o 9. N.R. N^o 177.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 8 in. dia. bears N52W. 22 miles dist; to
 L^o 30 " " " S34E. 10 " "

75.00 To a Brook 15 miles wide; course W.

80.00 Set a post for the cor. to Sec^s 7, 8, 17, 18. from
 which a Buck 10 in. dia. bears N13W. 18 miles dist;
 and on L^o 30 " " " S60E. 16 " "
 Sand & part Hilby & part wood, good for farm-
 ing; Timber Buck, Sugar, & Poplar.

South On a Random line between Sec^s 17, & 18 T. N^o 9
 N. R. N^o 177.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.21 Enter onto the E. & W. line 12.2 M^s E. of the post
 set for the cor. to Sec^s 17, 18, 19, 20.

Sand, Gr^{avel}, timber & c^o same as on the last lot.

West Between Sec^s 18, & 19 T. N^o 9. N.R. N^o 177. N. 53rd

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 18 in. dia. bears N24W. 3 miles dist; to

T. N^o 9. N.R. N^o 17. 2nd Mer. Ind^o

Sugar 9 in. dia. bears S 32 W. 39 miles dist;
 72.39 Intersected the N. & S line 186 miles North of
 the first set for the cor. to Sec. 13. & 24. T. N^o
 9. N.R. N^o 27. & set a post from which a
 Hick 12 in. dia. bears N 24 E. 11 miles dist; & a
 do 12 " " " S 58 W 16 " "
 Same same as on the last mile; Intersected Buck
 Sugar, Poplar, & Ash.

North On the true line between Sec. 17. & 18 T. N^o 9
 N. R. N^o 17.

40.00 Set the temporary post at the avor. var. on the true
 line for the cor. to 1/4 Sec. from which a
 Sugar - in. dia. bears S 51 E. 14 miles dist; & a
 do 11 " " " N 4 E. 20 " "
 80.00 To the first set for the cor. to Sec. 7. 8. 17. 18.

September 30th 1815

North Between Sec. 9. & 10 T. N^o 9. N.R. N^o 17.

40.00 To a Brook 30 miles mid; Course N.

40.00 Set a post for the cor. to 1/4 Sec. from which a
 Buck 10 in. dia. bears S 47 E. 23 miles dist; & a
 Poplar 4 " " " S 32 W. 18 " "

80.00 Set a post for the cor. to Sec. 3. 4. 9. 10. from
 which a Sugar 12 in. dia. bears S 46 E. 3 miles dist
 and a Buck 12 " " " N 43 W 22 " "
 Same hilly and past creek bottom. middling
 good for farming.

West Between Sec. 4. & 9. T. N^o 9. N.R. N^o 17.

33.50 To a Brook 100 miles mid; Course N.E.

40.00 Set a post for the cor. to 1/4 Sec. from which a
 Buck 10 in. dia. bears N 27 W. 10 miles dist; & a
 do 12 " " " S 15 W. 9 " "

80.00 Set a post for the cor. to Sec. 4. 5. 8. 9 from which
 a Buck 14 in. dia. bears N 31 W. 17 miles dist; & a

T. N^o 9 N.R. N^o 17. 2nd Mer. Ind.

Buck 14 in. dia. bears S41 E. 13 miles dist; 1
 Lands level and not; Timber Buck, Hemlock,
 Gum. Land not very good for farming

East On a Random line between Sec. 3 & 10 T. N^o 9 N.
 R. N^o 17.

40.00 Set a temporary post for the cor. to pt. sec

79.20 To a Brook 30 miles wide; Course S.

79.76 Entered the N. & S. line 51 miles N. of the cor. to
 Sec. 2, 3, 10 & 11. Lands hilly and poor.

North Between Sec. 2 & 3 T. N^o 9 N.R. N^o 17.

1.00 To a Brook 30 miles wide; Course S.W.

24.00 " " " 40 " " " W.

40.00 Set a post for the cor. to pt. sec from which a

Maple 13 in. dia. bears S43 W. 26 miles dist; & a

do 11 " " " N36 E. 9 " "

79.47 Entered the E. & W. line 877 miles west of the
 post set for the cor. to Sec. 34 & 35 T. N^o 10 N.R. 17.
 and set a post for the cor. to Sec. 2 & 3, T. N^o 9 N.R.
 N^o 17. From which a

Buck 6 in. dia. bears N74 E. 20 miles dist; & a

do 12 " " " S74 W. 20 " "

Lands level and poor. Timber Buck &c.

West On a true line between Sec. 3 & 10. T. N^o 9 N.R. N^o 17

39.88 Set the temporary post at the aver. dist. on the true line
 for the cor. to pt. sec. From which a

Buck 14 in. dia. bears N5 E. 35 miles dist; & a

do 14 " " " S53 W. 26 " "

79.76 To the post set for the cor. to Sec. 3, 4, 9, 10

October 1st 1815.

South On a Random line between Sec. 8 & 9 T. N^o 9 N.
 R. N^o 17.

30.00 To a Brook 100 miles wide; Course W.

T. N^o 9. N.R. N^o 17. 2nd Mer. (Ind. a)

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 63.00 To a Brook 10 miles wide; leaves N.
 80.25 Intersected the E & W line 13 miles west of the post
 set for the cor. to sec. 8, 9, 16, & 17. T. N^o 9. N.
 R. N^o 17. Lands flat land and part hilly
 3rd rate;

North On a true line between Sec. 8. & 9 T. N^o 9 N.
 R. N^o 17.

- 40.12 Set the temporary post at the arr. mark; on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 18 in. dia. bears N 57 W. 24 miles dist; to
 W. Oak 18 " " " S 24 E. 29 " "
 80.25 To the post set for the cor. to sec. 4, 5, 8, 9.

North Between Sec. 4. & 5. T. N^o 9. N.R. N^o 17.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia. bears N 12 E 6 miles dist; to
 Hickory 18 " " " N 68 E 28 " "
 78.68 Intersected the E & W line 818 miles W of the
 post set for the cor. to sec. 32. & 33. T. N^o 10 N.
 R. N^o 17. and set a post for the cor. to sec. 4 & 5
 from which a W. Oak 18 in. dia. bears N 50 E 14
 miles dist; to Buck 18 " " " S 52 W 9
 " " Lands hard and wet; Timber Buck
 Gum Oak &c not very good for farming

West Between Sec. 5. & 8 T. N^o 9 N. R. N^o 17.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 12 in. dia. bears S 28 E 6 miles dist; to
 Maple 10 " " " N 64 W 30 " "
 45.00 To a Brook 100 yards wide; leaves N.
 65.00 " " " 20 " " " N.
 80.00 Set a post for the cor. to sec. 5, 6, 7, 8. from which a
 Buck 20 in. dia. bears N 28 E. 17 miles dist; to
 Do 11 " " " S 54 W 16 " "

T. N.º 9. MR. N.º 1 pp. 2^{da} par. (Ind.ª)

The East 1/2 of this mile same as the last mile; the west part hilly under part creek bottom;
Timber & Buck 50

West Bottom Sec. 6. 17 T. N. 9. N. R. N. 17 W.
39.00 To a Mining branch Course S. E.
40.00 Set a post for the cor. to 14 sec. from where a
Buck 7 in. dia. bears N 63 E. 17 links dist; to
do 20 n a n S 21 W. 12 n a n
72.89 Set a post for the cor. to sec. 6 17 T. N. 9 N.
R. N. 17 W. (100 links N of the post set for the
cor. to sec. 1. 113 T. N. 9 N. R. N. 2 W.) from
which a Sugar 12 in. dia. bears S 79 E. 18 links
dist; to do 20 n a n S 62 W. 30 n
n Good for farming; Timber Buck,
Sugar, Poplar, Ash, & Walnut.

South On a Random line between Sec^s 7. & 8. T. N^o 9 N.
W. N^o 1 W.
40.00 Set a temp^y post for the cor. to 1/4 sec.
80.00 Intersected the E. & W. line 4 links East of the
post set for the cor. to Sec^s 7. 8. 17. & 18.
Sands paid bottom middling goods farming

North On a true line between Sec 7 & 8. T. N. 9. R. W.
N. 17 W.
40.28 Set the temporary post for the cor. to pt sec. at the com.
dish on the true line from which a
Buck 11 in. dia. bears N 80 E. 13 miles dish; from
Ironwood 9 in " " S 29 W. 26 " "
80.56 To the post set for the cor. to Sec 5. 6. 7. & 8.

Walt On a true line between Sec. 7 & 18. T. N. 9 S.
R. N. 1 W. 2nd Mer.
40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 12 in. dia bears S 41 E. 5 miles distant

T. N^o 9. N. N. N^o 1 W. 2nd Mer. (Ind.)

Logwoods 9 in. dia. bears N 41 E. 13 links dist
 72.90 Intersected the N. & S. line 157 links N of the
 first set for the cor. to Sec. 12 & 13 T. N^o 9 N.
 R. N^o 2 W. made set a post for the cor. to Sec
 7 & 18 from which a
 Poplar 4 in. dia bears S 3 E. 6 links dist; to
 Logwoods 6 in. dia ~ N 2 E 16 in. ~
 Good farming land;

October 2nd. 1815

North Bottom Sec. 5 & 6. T. N^o 9 N. R. N^o 1 W.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Buck 30 in. dia. bears N 45 W. 16 links dist; to
 Ho 24 in. dia ~ S 10 E. 40 in. ~
 78.88 Intersected the E. & W. line 720 links West of
 the first set for the cor. to Sec. 31 & 32. T. N^o 10
 N. R. N^o 1 W. from which a
 W. Buck 5 in. dia bears N 16 E. 23 links dist;
 Indian Elm 20 in. dia ~ S 18 E 19 in. ~
 Land hilly of middling soil; Timber Oak,
 Ash, Buck & Poplar.

North Bottom Sec. 3 & 4 T. N^o 9 N. R. N^o 1 W.
 17.14 To a line 100 links wide Corner S. W.
 40.00 Set a post for the cor. to 1/4 Sec. and made a
 cor. on a Buckeye Sapling 3 in. dia.
 76.73 Intersected the E. & W. line 769 links W of
 the cor. to Sec. 33 & 34 T. N^o 10 N. R. N^o 1 W.
 made set a post for the cor. to Sec. 3 & 4 from which
 a Buck 4 in. dia bears N 42 W. 23 links dist;
 Ho 16 in. dia ~ S 46 E. 17 in. ~
 Land low on bottom; Timber Buck 13. Oak
 & rich soil.

North Bottom Sec. 1 & 2. T. N^o 10 N. R. N^o 1 W.
 72.28 Originally surveyed to the N.E. Corner of

J. N. 9 N. R. N. 1 N. 2nd Mer. Ind. c)

80.50 Harrison's Purchase; Line Extended
Contracted the N. Boundary of T. N^o 9. R. N^o.
1 N. 81 miles E of the post set for the cor. to lat.
35. 136 T. N^o 10. R. N^o 1 N. made set a post
for the cor. to lat. 1. 12. T. N^o 9. R. N^o 1 N. from
which on Ironwood Cr. dis. bears N 42 W 13 like
chick; under North 4 u u S 25 E 19 u
u Line broken 3rd rate. Timber Beech,
Sugar, Hick. &c. n. of Logwood, Ironwood
made drives &c.

North Adams Dec 21/99 A.M. 11.11
Surveyed by Wm Harris
Dep't Survs

I certify that the foregoing transcript of the field notes of Township N. 9. North of Range N. 1 West of the 2nd Mer. Indiana, has been compared with the Original notes in this Office and found to be correct.

Inspector General's Office,
Cincinnati, Dec. 14.th 1862

Surgeon General's Office,
 Cincinnati, Dec. 14th 1839 } W. L. Loring
 Sur. Genl.